

OUTSIDE		MAX.	BOTTOM	SIDE	MATERIAL	
WIDTH	LENGTH	DEPTH	RADIUS	RADIUS	THICKNESS	OMEGA PART NUMBER
.620	1.920	1.250	.156	.136	.020	OMT0062-0192-02
.915	.915	2.250	.093	.078	.020	OMT0092-0092-02
1.050	3.000	1.312	.125	.125	.020	OMT0105-0300-02
1.190	2.560	3.250	.125	.125	.025	OMT0119-0256-02
1.250	2.000	1.000	.125	.125	.025	OMT0125-0200-02
1.265	1.265	3.250	.125	.125	.020	OMT0127-0127-02
1.380	2.590	4.500	.172	.125	.032	OMT0138-0259-03
1.391	3.953	5.000	.187	.187	.032	OMT0139-0395-03
1.400	2.080	1.150	.190	.190	.040	OMT0140-0208-04
1.415	3.655	4.000	.125	.125	.040	OMT0142-0366-04
1.500	1.860	1.250	.125	.125	.040	OMT0150-0186-04
1.500	3.750	1.625	.250	.200	.040	OMT0150-0375-04
1.500	4.000	1.500	.150	.250	.025	OMT0150-0400-02
1.545	1.905	1.250	.063	.125	.063	OMT0155-0191-06
1.558	4.432	4.500	.156	.156	.050	OMT0156-0443-05
1.590	1.590	3.000	.158	.203	.040	OMT0159-0159-04
1.590	1.750	1.250	.125	.125	.025	OMT0159-0175-02
1.625	2.100	1.250	.250	.250	.050	OMT0163-0210-05
1.625	4.250	5.000	.125	.125	.050	OMT0163-0425-05
1.638	6.286	1.500	.250	.312	.040	OMT0164-0629-04
1.740	3.990	2.000	.100	.100	.040	OMT0174-0399-04
1.750	1.750	4.000	.190	.190	.040	OMT0175-0175-04
1.750	2.000	2.500	.093	.078	.040	OMT0175-0200-04
1.750	2.375	3.500	.125	.125	.032	OMT0175-0238-03
1.750	2.375	1.500	.125	.125	.050	OMT0175-0238-05
1.750	2.500	1.625	.312	.250	.040	OMT0175-0250A-04

OUTSIDE		MAX.	BOTTOM	SIDE	MATERIAL	OMEGA PART NUMBER
WIDTH	LENGTH	DEPTH	RADIUS	RADIUS	THICKNESS	
1.750	2.500	1.625	.160	.250	.040	OMT0175-0250B-04
1.750	3.000	1.500	.125	.125	.050	OMT0175-0300-05
1.750	3.380	1.700	.090	.140	.040	OMT0175-0338-04
1.750	5.000	3.250	.187	.187	.040	OMT0175-0500-04
1.796	5.044	1.000	.187	.187	.063	OMT0180-0504-06
1.812	2.437	1.125	.125	.125	.063	OMT0181-0244-06
1.820	2.070	1.250	.156	.186	.040	OMT0182-0207-04
1.900	5.750	1.500	.125	.125	.032	OMT0190-0575-03
1.980	2.200	1.250	.156	.147	.040	OMT0198-0220-04
2.000	2.000	1.750	.120	.160	.040	OMT0200-0200-04
2.000	2.000	1.750	.250	.250	.063	OMT0200-0200-06
2.000	2.500	6.000	.250	.250	.050	OMT0200-0250-05
2.000	2.500	1.250	.090	.137	.050	OMT0200-0250A-05
2.000	3.000	1.875	.187	.210	.040	OMT0200-0300-04
2.000	3.000	1.750	.187	.187	.063	OMT0200-0300-06
2.000	3.000	4.000	.250	.250	.063	OMT0200-0300A-06
2.000	3.500	1.500	.125	.250	.050	OMT0200-0350-05
2.000	4.000	2.125	.147	.147	.040	OMT0200-0400A-04
2.000	4.000	4.250	.147	.147	.040	OMT0200-0400B-04
2.000	4.000	4.687	.125	.125	.063	OMT0200-0400-06
2.100	4.100	1.625	.040	.250	.032	OMT0210-0410-03

OUTSIDE	MAX.	BOTTOM	SIDE	MATERIAL	OMEGA PART NUMBER	
WIDTH	LENGTH	DEPTH	RADIUS	RADIUS	THICKNESS	
2.125	3.125	4.625	.125	.200	.040	OMT0213-0313-04
2.125	3.125	4.625	.250	.200	.040	OMT0213-0313A-04
2.125	3.125	1.750	.125	.200	.050	OMT0213-0313-05
2.125	3.500	5.250	.141	.172	.050	OMT0213-0350-05
2.125	3.500	5.250	.250	.172	.050	OMT0213-0350A-05
2.125	3.656	2.000	.187	.187	.050	OMT0213-0366-05
2.156	2.966	1.150	.060	.250	.063	OMT0216-0297-06
2.197	2.697	1.125	.250	.240	.040	OMT0220-0270-04
2.230	5.031	8.000	.250	.250	.050	OMT0223-0503-05
2.248	2.248	1.350	.125	.250	.050	OMT0225-0225-05
2.248	2.248	1.350	.250	.250	.050	OMT0225-0225A-05
2.250	3.000	2.000	.250	.250	.050	OMT0225-0300-05
2.250	3.250	4.250	.062	.090	.050	OMT0225-0325-05
2.250	3.250	4.250	.188	.090	.050	OMT0225-0325A-05
2.250	5.120	2.000	.190	.190	.050	OMT0225-0512-05
2.350	2.350	1.400	.094	.218	.040	OMT0235-0235-04
2.350	2.350	1.750	.187	.218	.040	OMT0235-0235A-04
2.375	2.375	6.250	.156	.156	.040	OMT0238-0238-04
2.372	2.447	2.250	.125	.125	.063	OMT0238-0245-06
2.375	2.875	2.000	.125	.187	.063	OMT0238-0288-06
2.375	2.875	2.000	.250	.187	.063	OMT0238-0288A-06
2.375	3.250	1.875	.250	.125	.063	OMT0238-0325-06
2.410	4.910	2.450	.160	.160	.040	OMT0241-0491-04
2.375	5.875	2.250	.187	.187	.063	OMT0238-0588-06
2.430	6.360	2.250	.562	.562	.040	OMT0243-0636-04
2.500	2.500	4.000	.190	.190	.040	OMT0250-0250-04

OUTSIDE		MAX.	BOTTOM	SIDE	MATERIAL	
WIDTH	LENGTH	DEPTH	RADIUS	RADIUS	THICKNESS	OMEGA PART NUMBER
2.500	2.625	2.000	.125	.116	.040	OMT0250-0263A-04
2.500	2.625	2.000	.090	.116	.040	OMT0250-0263B-04
2.500	2.625	2.000	.281	.116	.040	OMT0250-0263C-04
2.500	3.000	2.250	.250	.250	.050	OMT0250-0300-05
2.500	3.500	2.000	.250	.250	.050	OMT0250-0350A-05
2.500	3.500	2.000	.375	.250	.050	OMT0250-0350B-05
2.500	4.000	3.000	.250	.250	.050	OMT0250-0400A-05
2.500	4.000	3.000	.375	.250	.050	OMT0250-0400B-05
2.500	4.562	2.375	.125	.140	.040	OMT0250-0456-04
2.500	6.000	5.875	.125	.200	.050	OMT0250-0600-05
2.500	6.000	3.000	.250	.250	.063	OMT0250-0600-06
2.500	6.375	5.875	.156	.200	.050	OMT0250-0638-05
2.500	6.500	2.000	.125	.187	.050	OMT0250-0650-05
2.531	4.718	3.000	.250	.125	.063	OMT0253-0472A-06
2.531	4.718	3.000	.125	.125	.063	OMT0253-0472B-06
2.590	2.590	2.500	.250	.200	.050	OMT0259-0259-05
2.620	2.620	6.625	.090	.309	.050	OMT0262-0262-05
2.625	2.625	3.875	.297	.218	.090	OMT0263-0263-09
2.625	3.125	2.000	.090	.153	.050	OMT0263-0313-05
2.625	3.125	2.000	.156	.153	.050	OMT0263-0313A-05
2.675	3.175	2.300	.281	.500	.050	OMT0267-0318-05

OUTSIDE		MAX.	BOTTOM	SIDE	MATERIAL	
WIDTH	LENGTH	DEPTH	RADIUS	RADIUS	THICKNESS	OMEGA PART NUMBER
2.747	6.268	1.500	.060	.300	.040	OMT0275-0627-04
2.750	3.250	3.000	.090	.200	.050	OMT0275-0325-05
2.750	3.250	3.000	.187	.200	.050	OMT0275-0325A-05
2.750	3.500	3.000	.468	.468	.032	OMT0275-0350-03
2.750	5.750	1.250	.190	.190	.063	OMT0275-0575-06
2.750	6.250	2.250	.060	.562	.063	OMT0275-0625-06
2.750	6.250	2.250	.187	.562	.063	OMT0275-0625A-06
2.780	4.300	1.000	.090	.125	.063	OMT0278-0430-06
2.800	5.320	5.875	.125	.125	.063	OMT0280-0532-06
2.800	5.320	5.875	.250	.125	.063	OMT0280-0532A-06
2.810	4.190	5.000	.125	.200	.050	OMT0281-0419-05
2.810	4.190	5.000	.063	.200	.050	OMT0281-0419A-05
2.812	3.000	3.750	.188	.106	.050	OMT0281-0300-05
2.823	5.628	5.187	.190	.190	.063	OMT0282-0563-06
2.823	5.628	5.187	.312	.190	.063	OMT0282-0563A-06
2.850	3.050	7.000	.140	.140	.050	OMT0285-0305-05
2.873	5.393	5.875	.125	.250	.063	OMT0287-0539-06
2.875	3.500	2.125	.190	.190	.063	OMT0288-0350-06
2.875	4.000	3.500	.090	.140	.050	OMT0288-0400-05
2.875	5.000	6.000	.125	.100	.040	OMT0288-0500-04
2.875	5.000	6.000	.250	.100	.040	OMT0288-0500A-04
2.900	3.070	7.000	.188	.137	.050	OMT0290-0307-05
2.910	12.150	0.500	.093	.312	.050	OMT0291-1215-05
3.000	3.000	2.000	.109	.250	.040	OMT0300-0300-04
3.000	3.000	2.500	.250	.250	.040	OMT0300-0300A-04
3.000	3.000	2.000	.109	.250	.090	OMT0300-0300-09

OUTSIDE		MAX.	BOTTOM	SIDE	MATERIAL	OMEGA PART NUMBER
WIDTH	LENGTH	DEPTH	RADIUS	RADIUS	THICKNESS	
3.000	3.500	2.750	.250	.250	.050	OMT0300-0350-05
3.000	4.000	2.625	.250	.250	.063	OMT0300-0400-06
3.000	4.500	2.625	.187	.187	.063	OMT0300-0450-06
3.000	5.000	4.500	.250	.250	.063	OMT0300-0500-06
3.000	5.250	4.000	.125	.170	.050	OMT0300-0525-05
3.000	5.250	4.000	.250	.170	.050	OMT0300-0525A-05
3.000	5.342	6.750	.190	.190	.063	OMT0300-0534-06
3.000	6.000	3.500	.250	.250	.063	OMT0300-0600-06
3.000	6.000	2.500	.250	.187	.063	OMT0300-0600A-06
3.000	6.875	3.400	.375	.250	.080	OMT0300-0688-08
3.000	9.000	0.625	.109	.343	.040	OMT0300-0900A-04
3.000	9.000	2.500	.343	.343	.040	OMT0300-0900B-04
3.000	9.000	0.563	.109	.281	.090	OMT0300-0900-09
3.000	10.000	2.750	.250	.250	.063	OMT0300-1000-06
3.030	5.970	2.750	.120	.220	.063	OMT0303-0597-06
3.030	5.970	2.750	.312	.220	.063	OMT0303-0597A-06
3.042	5.383	6.750	.250	.250	.063	OMT0304-0538-06
3.125	3.500	3.000	.300	.200	.050	OMT0313-0350-05
3.125	4.000	2.437	.125	.200	.050	OMT0313-0400-05
3.125	4.375	2.750	.187	.187	.063	OMT0313-0438-06
3.172	4.016	2.000	.188	.188	.032	OMT0317-0402-03

OUTSIDE	MAX.	BOTTOM	SIDE	MATERIAL	OMEGA PART NUMBER	
WIDTH	LENGTH	DEPTH	RADIUS	RADIUS	THICKNESS	
3.222	5.951	0.840	.125	.125	.063	OMT0322-0595-06
3.235	7.325	7.000	.313	.285	.090	OMT0324-0733-09
3.250	4.625	2.750	.187	.125	.050	OMT0325-0463-05
3.250	5.550	1.500	.190	.250	.040	OMT0325-0555-04
3.250	6.750	7.500	.090	.200	.063	OMT0325-0675-06
3.250	6.750	7.500	.187	.200	.063	OMT0325-0675A-06
3.280	3.280	2.200	.220	.220	.050	OMT0328-0328-05
3.290	3.300	2.200	.220	.220	.050	OMT0329-0330-05
3.365	4.110	6.250	.250	.171	.063	OMT0337-0411-06
3.375	5.375	5.625	.250	.250	.032	OMT0338-0538-03
3.405	3.405	2.000	.125	.156	.063	OMT0341-0341-06
3.500	3.500	2.000	.060	.120	.063	OMT0350-0350-06
3.500	3.590	6.250	.250	.250	.050	OMT0350-0359-05
3.500	4.000	3.000	.250	.250	.063	OMT0350-0400-06
3.500	4.500	4.000	.250	.250	.063	OMT0350-0450-06
3.500	4.750	1.950	.120	.200	.050	OMT0350-0475-05
3.500	5.000	2.000	.203	.210	.040	OMT0350-0500-04
3.500	5.000	4.500	.187	.250	.063	OMT0350-0500-06
3.500	5.000	3.250	.250	.250	.063	OMT0350-0500A-06
3.500	5.250	3.500	.250	.250	.050	OMT0350-0525-05
3.500	5.250	7.375	.156	.230	.050	OMT0350-0525A-05
3.500	5.250	3.500	.406	.250	.050	OMT0350-0525B-05
3.500	5.250	3.000	.156	.156	.063	OMT0350-0525-06
3.500	6.000	4.000	.187	.187	.050	OMT0350-0600-05
3.500	6.500	2.750	.187	.187	.050	OMT0350-0650-05
3.500	7.500	1.375	.220	.230	.050	OMT0350-0750-05

OUTSIDE		MAX.	BOTTOM	SIDE	MATERIAL	OMEGA PART NUMBER
WIDTH	LENGTH	DEPTH	RADIUS	RADIUS	THICKNESS	
3.500	9.000	3.300	.250	.250	.063	OMT0350-0900-06
3.510	4.060	5.500	.109	.090	.040	OMT0351-0406-04
3.530	5.720	0.500	.062	.062	.020	OMT0353-0572-02
3.600	4.600	6.500	.500	.500	.050	OMT0360-0460-05
3.750	3.750	2.930	.250	.281	.032	OMT0375-0375-03
3.750	3.750	3.375	.250	.250	.063	OMT0375-0375-06
3.750	4.500	3.500	.250	.250	.063	OMT0375-0450-06
3.750	5.000	6.500	.190	.500	.063	OMT0375-0500-06
3.750	7.875	3.375	.375	.312	.063	OMT0375-0788-06
3.800	4.000	3.500	.125	.125	.040	OMT0380-0400-04
3.905	3.905	3.000	.281	.281	.063	OMT0391-0391-06
4.000	4.000	3.000	.125	.125	.050	OMT0400-0400-05
4.000	4.000	2.060	.125	.125	.040	OMT0400-0400-04
4.000	4.500	3.750	.312	.312	.063	OMT0400-0450-06
4.000	5.000	3.000	.170	.170	.040	OMT0400-0500-04
4.000	5.000	3.125	.125	.131	.040	OMT0400-0500C-04
4.000	5.500	3.500	.187	.187	.063	OMT0400-0550-06
4.000	6.000	3.750	.250	.218	.050	OMT0400-0600-05
4.000	6.500	3.750	.312	.312	.063	OMT0400-0650A-06
4.000	6.500	7.000	.312	.312	.063	OMT0400-0650B-06
4.000	7.000	6.750	.312	.312	.063	OMT0400-0700A-06

OUTSIDE		MAX.	BOTTOM	SIDE	MATERIAL	OMEGA PART NUMBER
WIDTH	LENGTH	DEPTH	RADIUS	RADIUS	THICKNESS	
4.000	7.000	3.500	.375	.750	.063	OMT0400-0700B-06
4.000	7.000	2.000	.125	.125	.050	OMT0400-0700-05
4.000	8.000	3.000	.125	.125	.050	OMT0400-0800-05
4.000	8.125	3.250	.187	.187	.063	OMT0400-0813-06
4.000	8.125	3.750	.375	.375	.063	OMT0400-0813A-06
4.000	8.750	3.250	.190	.250	.063	OMT0400-0875-06
4.000	10.500	3.875	.500	.500	.080	OMT0400-1050-08
4.000	11.125	2.625	.125	.125	.050	OMT0400-1113-05
4.080	5.330	3.625	.250	.250	.090	OMT0408-0533-09
4.120	5.620	3.000	.190	.500	.063	OMT0412-0562-06
4.125	6.750	4.625	.125	.250	.063	OMT0413-0675-06
4.250	4.250	3.000	.187	.203	.050	OMT0425-0425-05
4.250	4.250	3.000	.312	.203	.050	OMT0425-0425A-05
4.310	10.060	3.375	.160	.200	.050	OMT0431-1006-05
4.330	4.330	4.650	.250	.250	.063	OMT0433-0433-06
4.375	5.000	3.750	.187	.250	.040	OMT0438-0500-04
4.375	6.375	4.000	.250	.250	.063	OMT0438-0638-06
4.375	8.000	6.000	.410	.410	.090	OMT0438-0800-09
4.380	9.000	3.500	.250	.250	.050	OMT0438-0900-05
4.400	4.470	3.000	.090	.335	.040	OMT0440-0447-04
4.500	4.500	3.000	.109	.140	.063	OMT0450-0450-06
4.500	5.000	5.750	.312	.312	.063	OMT0450-0500-06
4.500	6.000	3.500	.109	.140	.063	OMT0450-0600-06
4.500	6.000	3.500	.230	.140	.063	OMT0450-0600A-06
4.500	6.500	4.000	.281	.281	.090	OMT0450-0650-09
4.500	8.875	2.600	.380	.125	.063	OMT0450-0888-06

OUTSIDE		MAX.	BOTTOM	SIDE	MATERIAL	OMEGA PART NUMBER
WIDTH	LENGTH	DEPTH	RADIUS	RADIUS	THICKNESS	
4.500	11.875	11.250	.125	.200	.063	OMT0450-1188-06
4.590	7.090	3.250	.125	.312	.063	OMT0459-0709-06
4.750	4.750	2.500	.125	.200	.050	OMT0475-0475-05
4.750	6.000	1.000	.125	.230	.025	OMT0475-0600-02
4.750	6.000	4.500	.190	.200	.050	OMT0475-0600-05
4.750	6.000	4.500	.250	.200	.050	OMT0475-0600A-05
4.750	7.000	7.000	.250	.500	.063	OMT0475-0700-06
4.750	7.000	7.000	.500	.500	.063	OMT0475-0700A-06
4.750	7.400	2.000	.060	.156	.063	OMT0475-0740-06
4.750	7.400	3.625	.150	.150	.090	OMT0475-0740-09
4.750	8.400	3.875	.150	.150	.090	OMT0475-0840-09
4.780	8.780	3.500	.250	.125	.063	OMT0478-0878-06
4.795	7.059	4.250	.375	.500	.090	OMT0480-0706-09
4.795	7.059	4.250	.250	.500	.090	OMT0480-0706A-09
4.875	7.125	6.875	.500	.650	.063	OMT0488-0713-06
5.000	5.000	5.750	.312	.312	.063	OMT0500-0500-06
5.000	5.000	4.000	.281	.281	.090	OMT0500-0500-09
5.000	6.000	4.000	.312	.312	.063	OMT0500-0600-06
5.000	6.125	4.000	.160	.190	.063	OMT0500-0613-06
5.000	6.250	2.500	.171	.262	.050	OMT0500-0625-05
5.000	7.000	4.750	.312	.312	.063	OMT0500-0700-06

OUTSIDE		MAX.	BOTTOM	SIDE	MATERIAL	OMEGA PART NUMBER
WIDTH	LENGTH	DEPTH	RADIUS	RADIUS	THICKNESS	
5.000	7.500	4.000	.187	.125	.050	OMT0500-0750-05
5.000	7.500	4.000	.281	.125	.050	OMT0500-0750A-05
5.000	8.000	4.000	.250	.270	.040	OMT0500-0800-04
5.125	8.250	4.000	.250	.375	.063	OMT0513-0825-06
5.250	5.250	2.250	.160	.170	.040	OMT0525-0525-04
5.250	5.250	2.250	.187	.187	.063	OMT0525-0525-06
5.250	5.250	2.250	.125	.125	.063	OMT0525-0525A-06
5.250	7.770	1.800	.150	.150	.090	OMT0525-0777-09
5.250	9.750	4.750	.312	.500	.063	OMT0525-0975-06
5.250	11.000	2.750	.200	.160	.090	OMT0525-1100-09
5.343	6.468	4.750	.250	.250	.063	OMT0534-0647-06
5.370	5.750	4.125	.190	.170	.040	OMT0537-0575-04
5.370	5.750	4.125	.250	.170	.040	OMT0537-0575A-04
5.420	5.420	2.450	.171	.375	.063	OMT0542-0542-06
5.437	9.187	6.000	.187	.187	.063	OMT0544-0919-06
5.500	7.000	4.000	.250	.250	.063	OMT0550-0700-06
5.500	8.000	4.250	.250	.240	.063	OMT0550-0800-06
5.500	8.000	4.250	.250	.218	.090	OMT0550-0800-09
5.500	8.500	2.500	.250	.250	.090	OMT0550-0850-09
5.750	11.500	2.000	.375	.375	.063	OMT0575-1150-06
5.750	19.500	2.000	.375	.375	.063	OMT0575-1950-06
5.800	6.000	4.000	.125	.250	.063	OMT0580-0600-06
5.800	6.000	4.000	.250	.250	.063	OMT0580-0600A-06
5.852	7.480	4.500	.171	.203	.050	OMT0585-0748-05
5.900	10.230	1.750	.125	.125	.050	OMT0590-1023-05
5.972	7.600	4.500	.250	.375	.050	OMT0597-0760-05

OUTSIDE		MAX.	BOTTOM	SIDE	MATERIAL	OMEGA PART NUMBER
WIDTH	LENGTH	DEPTH	RADIUS	RADIUS	THICKNESS	
6.000	7.000	5.000	.312	.312	.063	OMT0600-0700-06
6.000	7.500	4.750	.312	.312	.063	OMT0600-0750-06
6.000	9.000	5.000	.312	.312	.063	OMT0600-0900-06
6.000	11.000	4.250	.500	.500	.063	OMT0600-1100-06
6.000	13.500	11.000	.440	.512	.050	OMT0600-1350-05
6.060	9.060	6.000	.250	.250	.090	OMT0606-0906-09
6.060	9.060	6.000	.500	.250	.090	OMT0606-0906A-09
6.190	6.600	4.500	.187	.340	.090	OMT0619-0660-09
6.250	11.500	4.000	.250	.250	.050	OMT0625-1150-05
6.500	6.500	7.900	.250	.440	.063	OMT0650-0650-06
6.500	9.000	2.750			.063	OMT0650-0900-06
6.500	9.750	6.500	.750	.750	.090	OMT0650-0975-09
6.500	13.000	6.500	.125	.187	.063	OMT0650-1300-06
6.500	13.000	6.500	.312	.187	.063	OMT0650-1300A-06
6.500	15.500	6.000	.500	.500	.063	OMT0650-1550-06
6.687	10.562	5.500	.312	.312	.063	OMT0669-1056-06
6.750	6.780	4.500	.187	.250	.050	OMT0675-0678-05
6.775	6.775	4.500	.156	.500	.063	OMT0678-0678-06
7.000	8.000	5.000	.312	.312	.063	OMT0700-0800-06
7.000	8.000	11.750	.312	.312	.090	OMT0700-0800-09
7.000	8.250	0.562	.090	.281	.063	OMT0700-0825A-06

OUTSIDE		MAX.	BOTTOM	SIDE	MATERIAL	OMEGA PART NUMBER
WIDTH	LENGTH	DEPTH	RADIUS	RADIUS	THICKNESS	
7.000	8.250	5.000	.375	.281	.063	OMT0700-0825B-06
7.000	9.000	1.250	.440	.460	.040	OMT0700-0900-04
7.000	9.000	5.000	.440	.440	.063	OMT0700-0900-06
7.000	11.000	7.000	.500	.312	.063	OMT0700-1100-06
7.000	11.000	4.000	.280	.312	.063	OMT0700-1100A-06
7.000	13.500	0.562	.093	.328	.063	OMT0700-1350A-06
7.000	13.500	2.000	.328	.328	.063	OMT0700-1350B-06
7.150	9.400	1.000	.250	.847	.090	OMT0715-0940-09
7.275	9.275	1.250	.032	.517	.063	OMT0728-0928-06
7.280	9.530	6.000	.500	.937	.063	OMT0728-0953-06
7.310	8.310	6.000	.500	.500	.063	OMT0731-0831-06
7.310	8.310	6.000	.500	.472	.090	OMT0731-0831-09
7.335	9.585	9.000	.500	.937	.090	OMT0734-0959-09
7.500	11.500	7.375	.750	.937	.063	OMT0750-1150-06
7.500	12.000	5.500	.625	.625	.090	OMT0750-1200-09
7.580	9.100	5.350	.220	.660	.090	OMT0758-0910-09
8.000	11.000	8.000	.500	.937	.063	OMT0800-1100-06
8.000	13.500	8.000	.500	.937	.063	OMT0800-1350-06
8.110	12.510	3.310	.500	.620	.063	OMT0811-1251-06
8.250	9.250	5.125	.250	.250	.063	OMT0825-0925-06
8.355	11.896	1.985	.312	.250	.063	OMT0836-1190-06
8.500	8.500	4.750	1.00	1.00	.090	OMT0850-0850-09
8.500	10.500	0.562	.093	.375	.063	OMT0850-1050A-06
8.500	10.500	5.000	.250	.375	.063	OMT0850-1050B-06
8.500	16.000	0.562	.093	.375	.063	OMT0850-1600-06
8.750	13.750	11.750	.750	.500	.090	OMT0875-1375-09

OUTSIDE		MAX.	BOTTOM	SIDE	MATERIAL	OMEGA PART NUMBER
WIDTH	LENGTH	DEPTH	RADIUS	RADIUS	THICKNESS	
8.750	17.953	7.875	.500	.500	.063	OMT0875-1795-06
8.946	11.196	7.500	.625	.625	.063	OMT0895-1120-06
9.000	9.000	7.000	.500	.500	.063	OMT0900-0900-06
9.000	11.250	7.500	.625	.625	.090	OMT0900-1125-09
9.187	13.250	5.000	.250	.5787	.063	OMT0919-1325-06
9.187	13.250	9.375	.535	.535	.090	OMT0919-1325-09
10.000	12.000	7.937	.625	.625	.090	OMT1000-1200A-09
10.000	12.000	9.875	1.000	1.000	.090	OMT1000-1200B-09
10.000	14.000	2.000	.312	.312	.090	OMT1000-1400-09
10.000	16.000	9.500	.910	.910	.090	OMT1000-1600-09
10.250	15.250	2.000	.312	.312	.090	OMT1025-1525-09
10.312	12.438	8.875	.438	.500	.063	OMT1031-1244-06
10.440	12.440	4.000	.500	1.000	.063	OMT1044-1244-06
10.660	17.660	8.500	.750	.750	.071	OMT1066-1766-07
10.750	12.000	8.000	.750	.500	.090	OMT1075-1200-09
11.000	18.000	10.000	.937	.937	.063	OMT1100-1800-06
11.000	18.000	10.000	1.000	1.000	.090	OMT1100-1800-09
11.000	18.000	9.500	.500	1.000	.090	OMT1100-1800A-09
11.125	14.500	6.500	.750	.750	.063	OMT1113-1450-06
11.437	13.750	10.500	.910	.910	.090	OMT1144-1375-09
11.437	13.750	10.500	.500	.910	.090	OMT1144-1375A-09

OUTSIDE		MAX.	BOTTOM	SIDE	MATERIAL	OMEGA PART NUMBER
WIDTH	LENGTH	DEPTH	RADIUS	RADIUS	THICKNESS	
11.625	20.125	4.000	.625	.875	.063	OMT1163-2013-06
11.625	20.125	9.750	.750	.910	.090	OMT1163-2013-09
12.000	12.000	10.000	1.000	1.000	.090	OMT1200-1200-09
12.000	13.000	10.000	.500	.500	.063	OMT1200-1300-06
12.000	16.000	11.875	.910	.910	.090	OMT1200-1600-09
12.000	18.000	10.500	.910	1.000	.090	OMT1200-1800-09
12.000	18.000	11.000	.750	1.000	.090	OMT1200-1800A-09
13.270	21.300	6.000	.960	.950	.040	OMT1327-2130-04
14.125	16.125	10.750	.910	.910	.090	OMT1413-1613-09
14.500	17.000	11.750	.690	.800	.090	OMT1450-1700-09
15.625	19.125	11.500	.910	.910	.090	OMT1563-1913-09
15.835	15.835	1.000	.125	.703	.090	OMT1584-1584-09
16.000	16.000	9.000	.750	.750	.080	OMT1600-1600-08
16.120	26.120	10.750	1.000	1.000	.090	OMT1612-2612-09
16.500	20.000	7.750	.500	.937	.063	OMT1650-2000-06
16.500	20.000	10.000	.500	.910	.090	OMT1650-2000-09
17.000	20.312	12.000	1.000	1.000	.090	OMT1700-2031-09
27.500	27.500	6.000	.910	.910	.090	OMT2750-2750-09